

PRODUCT Oxy Burn+ Powder		TESTING LABORATORY Ethos Analytics Independent analytical laboratory	
Item no.	123	Report no.	25EA0520-008
Lot / Batch	OXY250502	Received	May 21, 2025
Best by	May 31, 2029	Completed	May 26, 2025
Form	Powder	Accreditation	ISO/IEC 17025:2017
Serving size	710.75mg		

LABEL POTENCY Complete	HEAVY METALS Pass	MICROBIOLOGY Pass
---	------------------------------------	------------------------------------

LABEL CLAIM PROFILE

ANALYTE	METHOD	RESULT	SPECIFICATION
Caffeine	HPLC	183.66mg/serving	>175mg/serving

HEAVY METALS

ANALYTE	RESULT	LIMIT	STATUS
Arsenic	0.025 ppm	15 mcg/day	Pass
Cadmium	0.043 ppm	5 mcg/day	Pass
Lead	0.020 ppm	5 mcg/day	Pass
Mercury	<LOQ	15 mcg/day	Pass

Heavy metals were analyzed by ICP-MS per USP <233> with a limit of quantification of 0.010 ppm and a limit of detection of 0.005 ppm for each metal.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Plate	<20 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Ethos Analytics for lot OXY250502, report 25EA0520-008, dated May 26, 2025. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory operating under ISO/IEC 17025:2017. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My Health

Hofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026