

PRODUCT Collagen Complex+ Powder		TESTING LABORATORY Ethos Analytics Independent analytical laboratory	
Item no.	717	Report no.	26EA0604-047
Lot / Batch	COL260601	Received	June 4, 2026
Best by	6/2029	Completed	June 9, 2026
Form	Powder	Accreditation	ISO/IEC 17025:2017
Serving size	610mg		

LABEL POTENCY Complete	HEAVY METALS Pass	MICROBIOLOGY Pass
---	------------------------------------	------------------------------------

LABEL CLAIM PROFILE

ANALYTE	METHOD	RESULT	SPECIFICATION
Collagen	HPLC	602.89mg/serving	600mg/serving

HEAVY METALS

ANALYTE	RESULT	LIMIT	STATUS
Arsenic	0.022 ppm	15 mcg/day	Pass
Cadmium	< LOQ	5 mcg/day	Pass
Lead	0.007 ppm	5 mcg/day	Pass
Mercury	< LOQ	15 mcg/day	Pass

Heavy metals determined by ICP-MS per USP <233>, with a limit of quantification of 0.010 ppm and a limit of detection of 0.005 ppm for arsenic, cadmium, lead and mercury.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Plate	<200 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Ethos Analytics for lot COL260601, report 26EA0604-047, dated June 9, 2026. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory operating under ISO/IEC 17025:2017. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My Health

Hofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026