

PRODUCT		TESTING LABORATORY	
Blood Sugar Ultra+ Powder		Ethos Analytics Independent analytical laboratory	
Item no.	803	Report no.	25EA1224-005
Lot / Batch	BSP251216	Received	December 29, 2025
Best by	December 2028	Completed	January 3, 2026
Form	Powder	Accreditation	ISO/IEC 17025:2017
Serving size	689.447mg		

LABEL CLAIMS	HEAVY METALS	MICROBIOLOGY
Complete	Pass	Pass

LABEL CLAIM PROFILE

ANALYTE	METHOD	RESULT	SPECIFICATION
Vitamin E (Alpha Tocopheryl Acetate)	HPLC/ICP	7.98mg/serving	7mg/serving
Zinc	HPLC/ICP	9.04mg/serving	8mg/serving

HEAVY METALS

ANALYTE	RESULT	LIMIT	STATUS
Arsenic	0.054 ppm	15 mcg/day	Pass
Cadmium	0.039 ppm	5 mcg/day	Pass
Lead	0.055 ppm	5 mcg/day	Pass
Mercury	<LOQ	15 mcg/day	Pass

Heavy metals were run by ICP-MS under USP <233> with a limit of quantification of 0.010 ppm and a limit of detection of 0.005 ppm for all four analytes.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Plate	<500 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Ethos Analytics for lot BSP251216, report 25EA1224-005, dated January 3, 2026. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory operating under ISO/IEC 17025:2017. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My Health

Hofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026