

PRODUCT		TESTING LABORATORY	
Joint Flex+ Powder		Ethos Analytics Independent analytical laboratory	
Item no.	808	Report no.	26EA0317-009
Lot / Batch	JS260309	Received	March 18, 2026
Best by	March 2029	Completed	March 24, 2026
Form	Powder	Accreditation	ISO/IEC 17025:2017
Serving size	2811mg		

BROMELAIN Complete	HEAVY METALS Pass	MICROBIOLOGY Pass
------------------------------	-----------------------------	-----------------------------

LABEL CLAIM PROFILE

ANALYTE	METHOD	RESULT	SPECIFICATION
Bromelain (J.4.0023 Industry)	J.4.0023	0.88 GDU/serving	Report Only

HEAVY METALS

ANALYTE	RESULT	LIMIT	STATUS
Arsenic	0.022 ppm	15 mcg/day	Pass
Cadmium	0.011 ppm	5 mcg/day	Pass
Lead	0.020 ppm	5 mcg/day	Pass
Mercury	<LOQ	15 mcg/day	Pass

Heavy metals were analyzed by ICP-MS under USP <233> with a limit of quantification of 0.010 ppm and a limit of detection of 0.005 ppm.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Plate	<20 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Ethos Analytics for lot JS260309, report 26EA0317-009, dated March 24, 2026. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory operating under ISO/IEC 17025:2017. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My HealthHofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026