

PRODUCT		TESTING LABORATORY	
Beetroot+ Powder		Ethos Analytics Independent analytical laboratory	
Item no.	839	Report no.	26EA0713-005
Lot / Batch	BR260707	Received	July 14, 2026
Best by	July 2028	Completed	July 27, 2026
Form	Powder	Accreditation	ISO/IEC 17025:2017

FINGERPRINTING PROFILE ID Complete	HEAVY METALS Pass	MICROBIOLOGY Pass
--	-----------------------------	-----------------------------

HPLC MARKER PROFILE / FINGERPRINTING

ANALYTE	METHOD	RESULT	SPECIFICATION	STATUS
Beetroot	HPLC Marker Profile / Fingerprinting	ID Confirmed - Test sample has characteristics of the standard	ID (Presence)	Confirmed

HEAVY METALS

ANALYTE	RESULT	LIMIT	STATUS
Arsenic	0.021 ppm	15 mcg/day	Pass
Cadmium	0.021 ppm	5 mcg/day	Pass
Lead	0.023 ppm	5 mcg/day	Pass
Mercury	<LOQ	15 mcg/day	Pass

Heavy metals were run by ICP-MS under USP <233> with a limit of quantification of 0.010 ppm and a limit of detection of 0.005 ppm for all four analytes.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Plate	<20 CFU/g	<100,000 CFU/g	Pass
Coliform	<20 CFU/g	<100 CFU/g	Pass
Yeast	<20 CFU/g	<1,000 CFU/g	Pass
Mold	<20 CFU/g	<1,000 CFU/g	Pass
Escherichia Coli	Negative/10g	Negative/10g	Pass
Salmonella	Negative/10g	Negative/10g	Pass
Staphylococcus Aureus	Negative/10g	Negative/10g	Pass



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Ethos Analytics for lot BR260707, report 26EA0713-005, dated July 27, 2026. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory operating under ISO/IEC 17025:2017. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My Health

Hofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026