

PRODUCT		TESTING LABORATORY	
Collagen Powder+		Eurofins Microbiology Laboratories (Utah)	
Dietary supplement		Independent analytical laboratory	
Item no.	869	Report no.	AR-25-L4-000736-01
Lot / Batch	VUC250212	Received	March 24, 2025
Best by	February 2027	Completed	April 4, 2025
		Eurofins Sample Code	961-2025-03240003

HEAVY METALS

ANALYTE	RESULT
Arsenic	18.8 ppb
Cadmium	<5.00 ppb
Lead	8.33 ppb
Mercury	<5.00 ppb

Heavy metals (As, Cd, Hg, Pb) were run by AOAC 2011.19, 993.14 and 2015.01 (modified), completed 04Apr2025, with no specification limits printed and results below the reporting level shown as <5.00 ppb.

MICROBIOLOGY

ORGANISM	RESULT	LIMIT	STATUS
Total Aerobic Microbial Count Suitability (USP <2021>)	PASS		Pass
Total Combined Yeast-Molds Count Suitability (USP <2021>)	PASS		Pass
Escherichia coli Suitability (USP <2022>)	PASS per sample		Pass
Salmonella spp. Suitability (USP <2022>)	PASS per sample		Pass
Staphylococcus aureus Suitability (USP <2022>)	PASS per sample		Pass
Total Aerobic Microbial Count (USP <2021>)	<100 cfu/g		
Mold (USP <2021>)	<100 cfu/g		
Yeast (USP <2021>)	<100 cfu/g		
E. coli (USP <2022>)	Not Detected per 10 g	Not Detected per 10 g	
Salmonella spp. (USP <2022>)	Not Detected per 10 g	Not Detected per 10 g	
Staphylococcus aureus (USP <2022>)	Not Detected per 10 g		



Source of results. Every value on this page is transcribed without change from the laboratory report issued by Eurofins Microbiology Laboratories (Utah) for lot VUC250212, report AR-25-L4-000736-01, dated April 4, 2025. Cura My Health has restated those results in this format for readability and has added nothing to them.

Scope. These results apply only to the lot identified above. Testing was performed by an independent laboratory. A copy of the laboratory's original report for this lot is available on request from info@curamyhealth.com.

Cura My Health

Hofer LLC dba Cura My Health · curamyhealth.com · Issued September 9, 2026